

GEOLOGY OF THE GOLDEN - GREEN MOUNTAIN AREA
JEFFERSON COUNTY, COLORADO

By
Stanley O. Reichert

ProQuest Number: 10795935

All rights reserved

INFORMATION TO ALL USERS

The quality of this reproduction is dependent upon the quality of the copy submitted.

In the unlikely event that the author did not send a complete manuscript and there are missing pages, these will be noted. Also, if material had to be removed, a note will indicate the deletion.



ProQuest 10795935

Published by ProQuest LLC (2018). Copyright of the Dissertation is held by the Author.

All rights reserved.

This work is protected against unauthorized copying under Title 17, United States Code
Microform Edition © ProQuest LLC.

ProQuest LLC.
789 East Eisenhower Parkway
P.O. Box 1346
Ann Arbor, MI 48106 – 1346

64615

A thesis submitted to the Faculty and the Board of Trustees of the Colorado School of Mines in partial fulfillment of the requirements for the degree of Doctor of Science.

Signed: Stanley O. Reichert
Stanley O. Reichert

Golden, Colorado

Date: May 28, 1953

Approved: F. M. Van Tuyl
F. M. Van Tuyl

Approved: L. W. LeRoy
L. W. LeRoy

Approved: Truman H. Kuhn
Truman H. Kuhn

64615

TABLE OF CONTENTS

	Page
INTRODUCTION	1
Location of the area	1
Climate and Vegetation	1
Purpose and Method of Investigation	2
Acknowledgments	4
PREVIOUS PUBLICATIONS	5
PHYSIOGRAPHY	6
STRATIGRAPHY	9
Pre-Cambrian	9
Paleozoic	10
Pennsylvanian	10
Fountain Formation	10
Permian	11
Lyons Formation	11
Permo-Triassic	12
Lykins Formation	12
Mesozoic	13
Jurassic	13
Ralston Formation	13
Morrison Formation	15
Cretaceous	16
Dakota Formation	16

	Page
Benton Formation	17
Niobrara Formation	18
Pierre Formation	20
Fox Hills Formation	20
Laramie Formation	23
Arapahoe Formation	24
Cretaceous-Paleocene Transition	29
Denver Formation	29
Cenozoic	34
Paleocene	34
Green Mountain conglomerate	34
GEOLOGIC STRUCTURE	42
Areal Geology	42
Golden Overthrust Fault	43
Longitudinal Structure Section	46
Structure Contour Maps	47
Isopach Maps	48
SEDIMENTOGRAPHY SUMMARY AND CONCLUSIONS	50
GEOLOGIC HISTORY OF THE AREA	54
Pre-Cambrian	54
Early Paleozoic	55
Late Paleozoic	56
Triassic	57
Jurassic	58

	Page
Late Cretaceous	58
Laramide Revolution	60
Paleocene	61
Cenozoic Peneplaination and Pedimentation. .	62
 ECONOMIC GEOLOGY	 65
Coal	65
Clay	65
Crushed Rock	66
Sand and Gravel	68
Silica-Sand	68
 GENERAL SUMMARY AND CONCLUSIONS	 70
 APPENDIX	 82
Sedimentography Tests	82
Collection and Preparation of	
Samples	82
Screen Analysis and Cumulative	
Frequency Curves	83
Heavy Mineral Separations	87
Insoluble Residues on the Light	
Weight Fraction	89
Quantitative Mineralogic	
Composition	90
Clay Stain Tests	93

SEDIMENTOGRAPHY GRAPHS (in Appendix)	Page
No. 1. Screen analysis cumulative frequency curve, Sample 1, Denver formation . . .	94
No. 2. Screen analysis cumulative frequency curve, Sample 2, Denver formation . . .	95
No. 3. Screen analysis cumulative frequency curve, Sample 3, Denver formation . . .	96
No. 4. Screen analysis cumulative frequency curve, Sample 4, Denver formation . . .	97
No. 5. Screen analysis cumulative frequency curve, Sample 5, Green Mountain formation	98
No. 6. Screen analysis cumulative frequency curve, Sample 6, Denver formation . . .	99
No. 7. Screen analysis cumulative frequency curve, Sample 7, Denver formation . . .	100
No. 8. Screen analysis cumulative frequency curve, Sample 8, Denver formation . . .	101
No. 9. Screen analysis cumulative frequency curve, Sample 9, Green Mountain formation	102
No. 10. Screen analysis cumulative frequency curve, Sample 10, Green Mountain formation	103
No. 11. Simple frequency curve for heavy minerals, Sample 1	104
No. 12. Simple frequency curve for heavy minerals, Sample 2	105
No. 13. Simple frequency curve for heavy minerals, Sample 3	106
No. 14. Simple frequency curve for heavy minerals, Sample 4	107
No. 15. Simple frequency curve for heavy minerals, Sample 5	108
No. 16. Simple frequency curve for heavy minerals, Sample 6	109

SEDIMENTOGRAPHY GRAPHS (Cont.)	Page
No. 17. Simple frequency curve for heavy minerals, Sample 7	110
No. 18. Simple frequency curve for heavy minerals, Sample 8	111
No. 19. Simple frequency curve for heavy minerals, Sample 9	112
No. 20. Simple frequency curve for heavy minerals, Sample 10	113
No. 21. Percent insoluble residue in light weight fraction, Sample 1	114
No. 22. Percent insoluble residue in light weight fraction, Sample 2	115
No. 23. Percent insoluble residue in light weight fraction, Sample 3	116
No. 24. Percent insoluble residue in light weight fraction, Sample 4	117
No. 25. Percent insoluble residue in light weight fraction, Sample 5	118
No. 26. Percent insoluble residue in light weight fraction, Sample 6	119
No. 27. Percent insoluble residue in light weight fraction, Sample 7	120
No. 28. Percent insoluble residue in light weight fraction, Sample 8	121
No. 29. Percent insoluble residue in light weight fraction, Sample 9	122
No. 30. Percent insoluble residue in light weight fraction, Sample 10	123
BIBLIOGRAPHY	134

LIST OF PHOTOGRAPHS

	Page
No. 1. Dakota, Benton, and Pierre formations . .	124
No. 2. Pierre and Fox Hills formations	124
No. 3. Laramie formation	125
No. 4. Laramie formation	125
No. 5. Laramie formation	126
No. 6. Arapahoe formation	126
No. 7. Arapahoe formation and Pleistocene gravels	127
No. 8. Arapahoe-Denver contact	127
No. 9. Arapahoe-Denver contact	128
No. 10. Arapahoe-Denver contact	128
No. 11. Contact of Denver formation with first basalt lava flow	129
No. 12. Channel flow underlain and overlain by Denver sediments	129
No. 13. Remnants of second and third basalt lava flows on northeast side of Green Mountain	130
No. 14. Basalt-andesite pebble conglomerate in upper one-third of Denver formation on Green Mountain	130
No. 15. Contact of Denver and Green Mountain formations	131
No. 16. Lower member of Green Mountain conglomerate	131
No. 17. Close-up view of lower member of Green Mountain conglomerate	132
No. 18. Close-up view of basal part of Upper Dawson arkose on southeast side of Dawson Butte	132
No. 19. Remnants of Pleistocene gravel covered pediments	133

LIST OF TABLES

TABLES (in pocket inside back cover)

1. Generalized stratigraphic section of the Golden-Morrison area, Jefferson County, Colorado.
2. Correlation of the post-Laramie formations on the west slope of Green Mountain.
3. Correlation of the Denver formation on the southeast side of South Table Mountain.
4. Correlation of a portion of the Denver formation on the northeast side of South Table Mountain.
5. Tabular summary of sedimentography data.

ILLUSTRATIONS

PLATES (in pocket inside back cover)

1. Post-Laramie correlation of stratigraphic columns in the Golden-Green Mountain area.
2. Areal geologic map of Golden-Morrison area superposed on topographic base map.
3. Areal geologic map of Golden-Morrison area superposed on aerial photograph mosaic.
4. Post-Laramie correlation of stratigraphic columns in the Denver Basin.
5. Structure cross-section along line A-B from the pre-Cambrian to east of Green Mountain.
6. Post-Laramie correlation map of the Denver Basin.
7. Isopach map of the Denver formation in the vicinity of Green Mountain.
8. Structural contour map drawn on the base of the Green Mountain formation.
9. Structure longitudinal section along line C-D from North Table Mountain to southeast of Green Mountain.
10. Structural contour map drawn on the base of the second basalt lava flow (Tb2).
11. Structural contour map drawn on the base of the Denver formation.
12. Isopach map of the Denver formation between the base of the formation and the base of the second basalt lava flow (Tb2).
13. Detailed structure section in clay mine adit.

ABSTRACT

A detailed geologic map superposed on the U. S. Geological Survey topographic map was prepared for an area of approximately 35 square miles located in the Golden and Morrison Quadrangles, Jefferson County, Colorado.

The purpose of the investigation was three-fold:

1. To make a detailed geologic map superposed on the new topographic base maps.
2. To map the geology in accordance with the detailed stratigraphic divisions established by LeRoy (19) in 1946.
3. To make a detailed study of the post-Laramie sediments in the Golden-Green Mountain area and elsewhere in the Denver Basin, and to correlate them with the post-Laramie sediments previously mapped and studied in the Denver Basin.

Physiographically, the area lies along the boundary between the Colorado Piedmont or western edge of the Denver Basin and the Front Range of the Rocky Mountains.

Stratigraphically, the rocks range in age from pre-Cambrian to Paleocene. The geologic mapping was done in accordance with the detailed stratigraphic section of the Golden-Morrison area established by LeRoy. The writer made a further refinement in the upper part of the stratigraphic column and the geologic map by mapping the Arapahoe, Denver, the three Table Mountain lava flows, and the lower and upper members of the Green Mountain conglomerate, each as separate formations. The Arapahoe, Denver, and Green Mountain formations are all fluviatile, lacustrine, continental sediments. Glacial evidence was not found in the Green Mountain conglomerate.

Structurally, the principal feature is the east flank of the Front Range arch which is broken by the Golden thrust fault. The dips of the strata steepen in approaching the Golden fault. The stratigraphic throw of the Golden fault increases from about 7000 feet at the southwest part of the area to a maximum of about 11,000 feet at the mouth of Clear Creek Canyon.

The Arapahoe, Denver, and Green Mountain formations are separated by erosional disconformities. No angular discordance was observed in the field. Structural contour maps drawn on three different horizons in the late Cretaceous and Paleocene indicate gentle post-Cretaceous and post-Paleocene warping. The evidence of stratigraphy, sedimentology, and structural geology date the Golden fault as late Paleocene.

Concerning post-Laramie stratigraphic correlations in the Denver Basin, the following conclusions are expressed:

1. The Arapahoe formation is the lithologic and time equivalent of the basal part of the Lower Dawson arkose. It thins and becomes finer grained to the south and southeast.
2. The Denver formation is the lithologic and time equivalent of that part of the Lower Dawson extending from the base of the basal andesitic (Tda) unit in the Colorado Springs area up to the widespread erosional disconformity between the Lower and Upper Dawson.
3. The Green Mountain conglomerate is the lithologic and time equivalent of the basal part of the Upper Dawson.

The original material for this dissertation includes a significant number of oversized pages. The full text can be viewed by accessing the supplement file.

